JOURNAL OF PALEONTOLOGY
INDEX TO VOLUME 58

CHARLES W. PITRAT AND DILLON K. SCOTT

AUTHOR INDEX

		No.	Page
	ADVOCATE, DAVID M., see SQUIRES, RICHARD L. (105)		
	ALEMAN, ANTENOR, see SCOTT, ROBERT W. (102)		
1.	AMSDEN, THOMAS W., Correction of a Pinetop (Lower Devonian) collecting locality (paleontological note)	4	1135
2.	ANSTEY, R. L. and J. W. BARTLEY, Quantitative stereology: an improved thin section biometry for bryozoans and other colonial organisms	3	612
	ANSTEY, R. L., see PACHUT, J. F. (86)		
3.	ARCHBOLD, N. W. and G. A. THOMAS, *Neospirifer* Fredericks, 1924 (Spiriferida, Brachiopoda): a review	3	626
4.	ARCHER, ALLEN W., Preservational control of trace-fossil assemblages: Middle Mississippian carbonates of south-central Indiana	2	285
5.	ARCHER, ALLEN W. and CHRISTOPHER G. MAPLES, Trace-fossil distribution across a marine-to-nonmarine gradient in the Pennsylvanian of southwestern Indiana	2	448
	ARCHER, MICHAEL, see FLANNERY, TIM F. (38)		
6.	AURISANO, RICHARD W., Three new dinoflagellate species from the subsurface Upper Cretaceous Atlantic Coastal Plain of New Jersey	1	1
7.	AUSICH, WILLIAM I., Calceocrinids from the Early Silurian (Llandoverian) Brassfield Formation of southwestern Ohio	5	1167
8.	AUSICH, WILLIAM I., The genus *Clidochirus* from the Early Silurian of Ohio (Crinoidea: Llandoverian)	6	1341
9.	AUSICH, WILLIAM I. and GREGORY A. SCHUMACHER, New Lower Silurian rhombiferan cystoid (Echinodermata, Callocystitidae) from southwestern Ohio	1	9
	BAILLIE, PETER, see JELL, PETER (54)		
	BAIRD, D., see HOOK, R. W. (51)		
	BALSAM, W. L., see GOLUBIC, S. (44)		
10.	BARTELS, WILLIAM S., Osteology and systematic affinities of the horned alligator *Ceratosuchus* (Reptilia, Crocodilia)	6	1347
	BARTLEY, J. W., see ANSTEY, R. L. (2)		
11.	BASILE, L. L., R. J. CUFFEY and D. F. KOSICH, Sclerosponges, pharetronids, and sphinctozoans (relict cryptic hard-bodied Porifera) in the modern reefs of Enewetak Atoll	3	636
12.	BATTEN, ROGER L., The calcitic wall in the Paleozoic families Euomphalidae and Platyceratidae (Archaeogastropoda)	5	1186
13.	BELYEA, PAUL R. and ROBERT C. THUNELL, Fourier shape analysis and planktonic foraminiferal evolution: the *Neogloboquadrina-Pulleniatina* lineages	4	1026
	BERDAN, JEAN M., see STONE, SEAN MURPHY (108)		
	BERGSTRÖM, STIG M., see KLAPPER, GILBERT (60)		
14.	BEUS, S. S., Fossil associations in the High Tor Limestone (Lower Carboniferous) of South Wales	3	651
	BEUS, S. S., see NOLL, J. H. (83)		
	BIRKELUND, TOVE, see HEINBERG, CLAUS (47)		
15.	BISHOP, GALE A., Fingerprint shell structure on acid-etched Cretaceous oysters (Mollusca, Bivalvia) from Mississippi	1	16
16.	BOARDMAN, RICHARD S., Origin of the post-Triassic Stenolaemata (Bryozoa): a taxonomic oversight	1	19
17.	BOUCOT, A. J., Old World Realm (Rhenish-Bohemian region), shallow-water, Early Devonian brachiopods from the Jauf Formation of Saudi Arabia	5	1196

18. BOUCOT, A. J. and KENNETH E. CASTER, First occurrence of *Scaphiocoelia* (Brachiopoda; Terebratulida) in the Early Devonian of the Paraná Basin, Brazil 6 1354
BOWN, THOMAS, M., see ROSE, KENNETH D. (98)
19. BOYD, DONALD W. and DAVID B. LOOPE, Probable vertebrate origin for certain sole marks in Triassic red beds of Wyoming 2 467
20. BRACKEN, BRYAN and M. DANE PICARD, Trace fossils from Cretaceous/Tertiary North Horn Formation in central Utah 2 477
BREEN, MARSHALL, see STEINECK, P. LEWIS (106)
21. BROMLEY, R. G. and A. A. EKDALE, Trace fossil preservation in flint in the European chalk 2 298
22. BROMLEY, R. G., S. GEORGE PEMBERTON and RAY A. RAHMANI, A Cretaceous woodground: the *Teredolites* ichnofacies 2 488
BROMLEY, R. G., see EKDALE, A. A. (31)
BROSGÉ, W. P., see DUTRO, J. T., JR. (30)
CAMERON, B. see GOLUBIC, S. (44)
CAMPBELL, S. E., see GOLUBIC, S. (44)
23. CARTER, CLAIRE and I. L. TAILLEUR, Ordovician graptolites from the Baird Mountains, western Brooks Range, Alaska 1 40
24. CASE, J. A., A new genus of Potoroinae (Marsupialia: Macropodidae) from the Miocene Ngapakaldi Local Fauna, South Australia, and a definition of the Potoroinae 4 1074
CASTER, KENNETH E., see BOUCOT, A. J. (18)
CEBECIOGLU, M. KEMAL, see MURPHY, MICHAEL A. (80)
CHIVERS, DUSTIN D., see IVERSON, ERNEST W. (53)
CIMERMAN, F., see GOLUBIC, S. (44)
25. COHEN, ANDREW S., Effect of zoobenthic standing crop on laminae preservation in tropical lake sediment, Lake Turkana, East Africa 2 499
26. COOPER, M. R. and B. KENSLEY, Endemic South American Permian bivalve molluscs from the Ecca of South Africa 2 1360
27. CUFFEY, R. J. and J. E. EHLEITER, New bryozoan species from the Mid-Jurassic Twin Creek and Carmel formations of Wyoming and Utah 3 668
CUFFEY, R. J., see BASILE, L. L. (11)
28. CURRAN, H. ALLEN, Ichnology of Pleistocene carbonates on San Salvador, Bahamas 2 312
CURRAN, H. ALLEN, see FREY, ROBERT W. (41)
29. DEBROCK, M. D., R. D. HOARE and R. H. MAPES, Pennsylvanian (Desmoinesian) Polyplacophora (Mollusca) from Texas 4 1117
DHONDT, A. V., see KELLY, S. R. A. (58)
DROBNE, K., see GOLUBIC, S. (44)
DUBOIS, L., see GOLUBIC, S. (44)
30. DUTRO, J. T., JR., A. R. PALMER, J. E. REPETSKI and W. P. BROSGÉ, Middle Cambrian fossils from the Doonerak anticlinorium, central Brooks Range, Alaska 6 1364
DUTRO, J. T., JR., see NOLL, J. H. (83)
EHLEITER, J. E., see CUFFEY, R. J. (27)
31. EKDALE, A. A. and R. G. BROMLEY, Comparative ichnology of shelf-sea and deep-sea chalk 2 322
EKDALE, A. A., see BROMLEY, R. G. (21)
EKDALE, A. A., see MILLER, MOLLY F. (78)
32. ELIAS, R. J. and A. W. POTTER, Late Ordovician solitary rugose corals of the eastern Klamath Mountains, northern California 5 1203
33. EVANS, SUSAN E., On the question of epipubic bones in morganucodontids (paleontological note) 5 1339
FAGERSTROM, J. A., see FREY, ROBERT W. (42)
34. FELDMANN, RODNEY M. and WILLIAM J. ZINSMEISTER, First occurrence of fossil decapod crustaceans (Callianassidae) from the McMurdo Sound region, Antarctica 4 1041
35. FELDMANN, RODNEY M. and WILLIAM J. ZINSMEISTER, New fossil crabs (Decapoda: Brachyura) from the La Meseta Formation (Eocene) of Antarctica: paleogeographic and biogeographic implications 4 1046
36. FILLION, D. and R. K. PICKERILL, On *Arthraria antiquata* Billings, 1872 and its relationship to *Diplocraterion* Torell, 1870 and *Bifungites* Desio, 1940 ..... 3 683

FILLION, D., see PICKERILL, R. K. (90)
FILLION, D., see PICKERILL, R. K. (91)
37. FISK, LANNY H. and WILLIAM J. FRITZ, Pseudoborings in petrified wood from the Yellowstone "fossil forests" 1 58
38. FLANNERY, TIM F., MICHAEL ARCHER and MICHAEL PLANE, Phylogenetic relationships and a reconsideration of higher level systematics within the Potoroidae (Marsupialia) 4 1087
39. FLOWER, ROUSSEAU H., *Bodeiceras*, a new Mohawkian oxycone, with revision of the order Barrandeoceratida and discussion of the status of the order 6 1372
FORD, NELSON S., see KOCH, CARL F. (63)
40. FOX, RICHARD C., First North American record of the Paleocene primate *Saxonella* (paleontological note) 3 892
FREST, T. J., see WERLE, NEVA G. (117)
41. FREY, ROBERT W., H. ALLEN CURRAN and S. GEORGE PEMBERTON, Tracemaking activities of crabs and their environmental significance: the ichnogenus *Psilonichnus* 2 333
42. FREY, ROBERT W., S. GEORGE PEMBERTON and J. A. FAGERSTROM, Morphological, ethological and environmental significance of the ichnogenera *Scoyenia* and *Ancorichnus* 2 511
FREY, ROBERT W., see PEMBERTON, S. GEORGE (89)
FRITZ, WILLIAM J., see FISK, LANNY H. (37)
43. GASTALDO, ROBERT A., Studies of North American pecopterids. III. *Pecopteris buttsii* D. White from the Early Pennsylvanian of Alabama 1 63
44. GOLUBIC, S., S. E. CAMPBELL, K. DROBNE, B. CAMERON, W. L. BALSAM, F. CIMERMAN and L. DUBOIS, Microbial endoliths: a benthic overprint in the sedimentary record, and a paleobathymetric cross-reference with foraminifera 2 351
GREGORY, GUY, see MEHRTENS, CHARLOTTE J. (75)
45. GROVES, JOHN R., Biostratigraphic significance of *Hemigordius harltoni* Cushman and Waters, 1928 (Foraminiferida) 1 78
46. HAMMOND, L. S., Epibiota from the valves of Recent *Lingula* (Brachiopoda) (paleontological note) 6 1528
HARLAND, T. L., see PICKERILL, R. K. (91)
HARLAND, T. L., see PICKERILL, R. K. (92)
47. HEINBERG, CLAUS and TOVE BIRKELUND, Trace-fossil assemblages and basin evolution of the Vardekløft Formation (Middle Jurassic, central east Greenland) 2 362
48. HICKMAN, CAROLE S., Composition, structure, ecology and evolution of six Cenozoic deep-water mollusk communities 5 1215
49. HOARE, R. D. and ALLYN G. SMITH, Permian Polyplacophora (Mollusca) from West Texas 1 82
50. HOARE, R. D. and M. T. STURGEON, Pennsylvanian echinoid pedicellariae (paleontological note) 3 895
HOARE, R. D., see DEBROCK, M. D. (29)
51. HOOK, R. W. and D. BAIRD, *Ichthycanthus platypus* Cope, 1877, reidentified as the dissorophoid amphibian *Amphibamus lyelli* 3 697
52. HORNER, JOHN R., A "segmented" epidermal tail frill in a species of hadrosaurian dinosaur (paleontological note) 1 270
53. IVERSON, ERNEST W. and DUSTIN D. CHIVERS, A new genus and species of Sphaeromatidae (Crustacea: Isopoda: Flabellifera) from the Miocene of Kern County, California 1 104
54. JELL, PETER and PETER BAILLIE, *Stenaster obtusus* (Forbes, 1848) from the Early Silurian of Tasmania (paleontological note) 1 272
55. KAMMER, THOMAS W., Crinoids from the New Providence Shale Member of the Borden Formation (Mississippian) in Kentucky and Indiana 1 115
56. KAMOLA, DIANE L., Trace fossils from marginal-marine facies of the Spring Canyon Member, Blackhawk Formation (Upper Cretaceous), east-central Utah 2 529
KAT, PIETER W., see SIGNOR, PHILLIP W., III (104)
57. KELLEY, PATRICIA H., Multivariate analysis of evolutionary patterns of seven Miocene Chesapeake Group molluscs 5 1235
58. KELLY, S. R. A., A. V. DHONDT and V. A. ZAKHAROV, *Boreionectes* Zakharov, 1965 (Bivalvia: Pectinidae)—a synonym of *Maclearnia* (Crickmay, 1930) 1 109
KENSLEY, B., see COOPER, M. R. (26)
KING, B. F., see MCKINNEY, F. K. (74)

59. KING, WILLIAM E., *Millerella sandersoni*, a new name for *Millerella extensus* King, 1973 (paleontological note) 6 1421
60. KLAPPER, GILBERT and STIG M. BERGSTRÖM, The enigmatic Middle Ordovician fossil *Archaeognathus* and its relations to conodonts and vertebrates 4 949
61. KNOLL, ANDREW H., Microbiotas of the late Precambrian Hunnberg Formation, Nordaustlandet, Svalbard 1 131
62. KOBLUK, DAVID R., A new compound skeletal organism from the Rosella Formation (Lower Cambrian), Atan Group, Cassiar Mountains, British Columbia 3 703
63. KOCH, CARL F. and NELSON S. FORD, List of books received, but not formally reviewed, from mid-1981 to early 1983 ..... 6 1541
KOSICH, D. F., see BASILE, L. L. (11)
64. LANDING, ED, Skeleton of lapworthellids and the suprageneric classification of tommotiids (Early and Middle Cambrian phosphatic Problematica) 6 1380
65. LAZARUS, DAVID B. and DONALD R. PROTHERO, The role of stratigraphic and morphologic data in phylogeny 1 163
66. LI YUWEN, Some new Late Jurassic to Early Cretaceous nonmarine ostracodes from Sichuan Basin of China 1 217
67. LINDEMANN, R. H. and E. L. YOCHELSON, Styliolines from the Onondaga Limestone (Middle Devonian) of New York 5 1251
68. LOEBLICH, ALFRED, R., JR. and HELEN TAPPAN, The vicissitudes of *Vissariotaxis* (Foraminiferida) (paleontological note) 4 1156
69. LOEBLICH, ALFRED R., JR. and HELEN TAPPAN, Some new proteinaceous and agglutinated genera of Foraminiferida (paleontological note) 4 1158
LOOPE, DAVID B., see BOYD, DONALD W. (19)
70. LUND, R. and R. H. MAPES, *Carcharopsis wortheni* from the Fayetteville Formation (Mississippian) of Arkansas 3 709
71. MACELLARI, CARLOS E., Revision of serpulids of the genus *Rotularia* (Annelida) at Seymour Island (Antarctic Peninsula) and their value in stratigraphy 4 1098
MAPES, R. H., see DEBROCK, M. D. (29)
MAPES, R. H., see LUND, R. (70)
MAPES, R. H., see STRIMPLE, H. L. (109)
MAPES, R. H., see WERLE, NEVA G. (117)
MAPLES, CHRISTOPHER G., see ARCHER, ALLEN W. (5)
72. MARSHALL, LARRY G., The lower jaw of *Eobrasilia coutoi* Simpson, 1947, a unique didelphid (not borhyaenoid) marsupial from the Paleocene of Brazil 1 173
73. MCINTOSH, GEORGE C., Devonian cladid inadunate crinoids; Family Botryocrinidae Bather, 1899 ..... 5 1260
74. MCKINNEY, F. K. and B. F. KING, Early growth stages of some Paleozoic phylloporinid bryozoans 3 852
75. MEHRTENS, CHARLOTTE J. and GUY GREGORY, An occurrence of *Salterella conulata* Clark in the Dunham Dolomite (Lower Cambrian) of northwestern Vermont and its stratigraphic significance 4 1143
76. MERRILL, ROBERT D., *Ophiomorpha* and other nonmarine trace fossils from the Eocene Ione Formation, California 2 542
MILLAR-CAMPBELL, C., see VON BITTER, P. H. (114)
77. MILLER, MOLLY F., Distribution of biogenic structures in Paleozoic nonmarine and marine-margin sequences: an actualistic model 2 550
78. MILLER, MOLLY F., A. A. EKDALE and M. DANE PICARD, Editorial preface to "Trace Fossils and Paleoenvironments: Marine Carbonate, Marginal Marine Terrigenous and Continental Terrigenous Settings 2 283
79. MOORE, ELLEN J., Middle Tertiary molluscan zones of the Pacific Northwest 3 717
80. MURPHY, MICHAEL A. and M. KEMAL CEBECIOGLU, The *Icriodus steinachensis* and *I. claudiae* lineages (Devonian conodonts) 6 1399
81. NARBONNE, GUY M., Trace fossils in Upper Silurian tidal flat to basin slope carbonates of Arctic Canada 2 398
NEVINS, NANCY, see STEINECK, P. LEWIS (106)
82. NOBLE, J. P. A. and G. A. YOUNG, The Llandovery-Wenlock heliolitid corals from New Brunswick, Canada 3 867
83. NOLL, J. H., J. T. DUTRO, JR. and S. S. BEUS, A new species of the Late Devonian (Famennian) brachiopod *Dzieduszyckia* from Sonora, Mexico 6 1412
84. NYBERG, A. V. and J. W. SCHOPF, Microfossils in stromatolitic cherts from the Upper Proterozoic Min'Yar Formation, southern Ural Mountains, U.S.S.R. 3 738

O'HARA, PATRICIA, see STEINECK, P. LEWIS (106)
OLSEN, PAUL E., see PADIAN, KEVIN (87)
85. OLSON, EVERETT C., The taxonomic status and morphology of *Pleuristion brachycoelus* Case; referred to *Protocaptorhinus pricei* Clark and Carroll (Reptilia: Captorhinomorpha) 5 1282
86. PACHUT, J. F. and R. L. ANSTEY, The relative information content of Fourier-structural binary (presence-absence) and combined data sets: a test using the H. A. Nicholson collection of Paleozoic stenolaemate bryozoans 5 1296
87. PADIAN, KEVIN and PAUL E. OLSEN, The fossil trackway *Pteraichnus*: not pterosaurian, but crocodilian 1 178
88. PALMER, ALLISON R., The biomere problem, evolution of an idea 3 599
PALMER, ALLISON R., see DUTRO, J. T., JR. (30)
89. PEMBERTON, S. GEORGE, ROBERT W. FREY and ROGER G. WALKER, Probable lobster burrows in the Cardium Formation (Upper Cretaceous) of southern Alberta, Canada, and comments on modern burrowing decapods 6 1422
PEMBERTON, S. GEORGE, see BROMLEY, R. G. (22)
PEMBERTON, S. GEORGE, see FREY, ROBERT W. (41)
PEMBERTON, S. GEORGE, see FREY, ROBERT W. (42)
PICARD, M. DANE, see BRACKEN, BRYAN (20)
PICARD, M. DANE, see MILLER, MOLLY F. (78)
90. PICKERILL, R. K. and D. FILLION, Occurrence of *Rusophycus morgati* in Arenig strata of Bell Island, eastern Newfoundland (paleontological note) 1 274
91. PICKERILL, R. K., D. FILLION and T. L. HARLAND, Middle Ordovician trace fossils in carbonates of the Trenton Group between Montreal and Quebec City, St. Lawrence Lowland, eastern Canada 2 416
92. PICKERILL, R. K. and T. L. HARLAND, Middle Ordovician microborings of probable sponge origin from eastern Canada and southern Norway 3 885
PICKERILL, R. K., see FILLION, D. (36)
PLANE, MICHAEL, see FLANNERY, TIM F. (38)
93. POJETA, JOHN, JR. and RENJIE ZHANG, *Sinodora* n. gen.—a Chinese Devonian homeomorph of Cenozoic pandoracean pelecypods 4 1010
POTTER, A. W., see ELIAS, R. J. (32)
PROTHERO, DONALD R., see LAZARUS, DAVID B. (65)
94. PURPER, IVONE, New name for *Darwinula fragilis* Purper, 1979 (paleontological note) 6 1371
RAHMANI, RAY A., see BROMLEY, R. G. (22)
95. REPETSKI, JOHN E., Treatise on Invertebrate Paleontology, Part W, Miscellanea, Supplement 2, Conodonta, by D. L. Clark, W. C. Sweet, S. M. Bergström, Gilbert Klapper, R. L. Austin, F. H. T. Rhodes, K. J. Müller, Willi Ziegler, Maurits Lindström, J. F. Miller and A. G. Harris (review) 6 1538
REPETSKI, J. E., see DUTRO, J. T., JR. (30)
96. RETALLACK, GREGORY J., Trace fossils of burrowing beetles and bees in an Oligocene paleosol, Badlands National Park, South Dakota 2 571
97. RIGBY, J. KEITH, Permian sponges from western Venezuela 6 1436
98. ROSE, KENNETH D. and THOMAS M. BOWN, Early Eocene *Pelycodus jarrovii* (Primates: Adapidae) from Wyoming: phylogenetic and biostratigraphic implications (paleontological note) 6 1532
99. SANDO, WILLIAM J., Significance of epibionts on horn corals from the Chainman Shale (Upper Mississippian) of Utah 1 185
100. SAVAGE, NORMAN M., Late Triassic (Karnian) conodonts from Eagle Cove, southern San Juan Island, Washington (paleontological note) 6 1535
SCHIEFELBEIN, D. R. JESSICA, see SHEEHAN, PETER M. (103)
SCHOPF, J. W., see NYBERG, A. V. (84)
101. SCHRAM, FREDERICK R., Upper Pennsylvanian arthropods from black shales of Iowa and Nebraska 1 197
SCHUMACHER, GREGORY A., see AUSICH, WILLIAM I. (9)
102. SCOTT, ROBERT W. and ANTENOR ALEMAN, *Stylina columbaris* n. sp. in a Lower Cretaceous coral biostrome, Peru 4 1136
103. SHEEHAN, PETER M. and D. R. JESSICA SCHIEFELBEIN, The trace fossil *Thalassinoides* from the Upper Ordovician of the eastern Great Basin: deep burrowing in the early Paleozoic 2 440

104.	SIGNOR, PHILIP W., III and PIETER W. KAT, Functional significance of columellar folds in turritelliform gastropods	1	210
	SMITH, ALLYN G., see HOARE, R. D. (49)		
105.	SQUIRES, RICHARD L. and DAVID M. ADVOCATE, Meniscate burrows from Miocene lacustrine-fluvial deposits, Diligencia Formation, Orocopia Mountains, southern California	2	593
106.	STEINECK, P. LEWIS, MARSHALL BREEN, NANCY NEVINS and PATRICIA O'HARA, Middle Eocene and Oligocene deep-sea Ostracoda from the Oceanic Formation, Barbados	6	1463
107.	STOCK, CARL W., Upper Devonian (Frasnian) Stromatoporoidea of north-central Iowa: redescription of the type specimens of Hall and Whitfield (1873)	3	773
108.	STONE, SEAN MURPHY and JEAN M. BERDAN, Some Late Silurian (Pridolian) ostracodes from the Roberts Mountains, central Nevada	4	977
109.	STRIMPLE, H. L. and R. H. MAPES, Comatulid crinoids from the Jacksonian (Eocene) of Louisiana	3	789
110.	STUBBLEFIELD, SARA P., Taxonomic delimitation among Pennsylvanian marattialian fructifications	3	793
	STURGEON, M. T., see HOARE, R. D. (50)		
	TAILLEUR, I. L., see CARTER, CLAIRE (23)		
	TAPPAN, HELEN, see LOEBLICH, ALFRED R., JR. (68)		
	TAPPAN, HELEN, see LOEBLICH, ALFRED R., JR. (69)		
111.	THARALSON, DARRYL B., Revision of the Early Permian ammonoid family Perrinitidae	3	804
112.	THEOKRITOFF, GEORGE, Dresbachian trilobites from the Taconic sequence, eastern New York state	3	834
	THOMAS, G. A., see ARCHBOLD, N. W. (3)		
	THUNELL, ROBERT C., see BELYEA, PAUL R. (13)		
113.	TILLMAN, JOHN R., Ostracodes of the superfamilies Beyrichiacea and Drepanellacea from Middle Devonian rocks of central Ohio	1	234
114.	VON BITTER, P. H. and C. MILLAR-CAMPBELL, The use of "spikes" in monitoring the effectiveness of phosphatic microfossil recovery	5	1193
115.	VOORHIES, M. R., "*Citellus kimballensis*" Kent and "*Propliophenacomys uptegrovensis*" Martin, supposed Miocene rodents, are Recent intrusives	1	254
	WALKER, ROGER G., see PEMBERTON, S. GEORGE (89)		
116.	WELCH, JAMES R., The asteroid *Lepidasterella montanensis* n. sp. from the Upper Mississippian Bear Gulch Limestone of Montana	3	843
117.	WERLE, NEVA G., T. J. FREST and ROYAL H. MAPES, The epizoan *Phosphannulus* on a Pennsylvanian crinoid stem from Texas (paleontological note)	4	1163
118.	WIEGAND, GEORGE E., Two new genera of calcareous nannofossils from the Lower Jurassic	4	1151
119.	WILSON, EDWARD C., The goniatite *Agathiceras* (Mollusca: Cephalopoda) in the Lower Permian (Wolfcampian) of California (paleontological note)	1	277
120.	WOODBURNE, MICHAEL O., *Wakiewakie lawsoni*, a new genus and species of Potoroinae (Marsupialia: Macropodidae) of medial Miocene age, South Australia	4	1062
121.	WOODBURNE, MICHAEL O. and WILLIAM J. ZINSMEISTER, The first land mammal from Antarctica and its biogeographic implications	4	913
122.	YOCHELSON, ELLIS L., Historic and current considerations for revision of Paleozoic gastropod classification	1	259
	YOCHELSON, ELLIS L., see LINDEMANN, R. H. (67)		
	YOUNG, G. A., see NOBLE, J. P. A. (82)		
	ZAKHAROV, V. A., see KELLY, S. R. A. (58)		
	ZHANG, RENJIE, see POJETA, JOHN, JR. (39)		
123.	ZINSMEISTER, WILLIAM J., Late Eocene bivalves (Mollusca) from the La Meseta Formation, collected during the 1974–1975 joint Argentine-American expedition to Seymour Island, Antarctic Peninsula	6	1497
	ZINSMEISTER, WILLIAM J., see FELDMANN, RODNEY M. (34)		
	ZINSMEISTER, WILLIAM J., see FELDMANN, RODNEY M. (35)		
	ZINSMEISTER, WILLIAM J., see WOODBURNE, MICHAEL O. (121)		
124.	ZULLO, VICTOR A., New genera and species of balanoid barnacles from the Oligocene and Miocene of North Carolina	5	1312

SUBJECT INDEX

Alabama: pecopterids, Pennsylvanian (43)
Alaska: Graptoloidea, Ordovician (23); Trilobita, Conodonta, Cambrian (30)
Alaskabolbina willowensis: new species, Ostracoda (108)
Alberta: Primates, Paleocene (40); trace fossils, Cretaceous (22), (89)
Ammonoidea: Permian (111), California (119)
Amphibia: Pennsylvanian, Ohio (51)
Anartiocystis foerstei: new genus and new species, Cystoidea (9)
Ancorichnus coronus: new species, trace fossils (42)
Antarctica: Bivalvia, Eocene (123); Decapoda, Eocene (34), (35); Marsupialia, Eocene (121); Serpulidae, Cretaceous (71)
Antarctodolops dailyi: new genus and new species, Marsupialia (121)
Arizona: trace fossils, Jurassic (87)
Apocoelia sphaera: new genus and new species, Porifera (97)
Archaeogastropoda: wall structure (12)
Archaeognathus: affinities (60)
Archimerismus: new genus, Foraminiferida (69)
Arctic Canada: trace fossils, Silurian (81)
Arkansas: Chondrichthyes, Mississippian (70)
Arthraria antiquata: redescribed (36)
Asteroidea: Mississippian, Montana (116); Silurian, Tasmania (54)
Atactolituola: new genus, Foraminiferida (69)
Atlantic Ocean: Coccolithophorida, Jurassic (118); Foraminiferida, Holocene (69)
Aulacomya anderssoni: new species, Bivalvia (123)
Australia: Brachiopoda, Recent (46); Marsupialia, Eocene (120), Miocene (24)
Australoneilo rossi: new genus and new species, Bivalvia (123)
Australoportlandia antarctica: new genus and new species, Bivalvia (123)
Bahamas: trace fossils, Pleistocene (28)
Balanus imitator: new species, Cirripedia (124)
Balanus? silverdalensis: new species, Cirripedia (124)
Barbados: Ostracoda, Tertiary (106)
Barnacles: Oligocene, Miocene, North Carolina (124)
Barrandeoceratida: revised (39)
Berdanopsis paulinodensis: new species, Ostracoda (108)
Berenicea duofluvina: new species, Bryozoa (27)
Beyrichia (Beyrichia) inornata: new species, Ostracoda (108)
Biomeres: (88)
Biostratigraphy: Tertiary, Pacific Northwest (79)
Bioturbation: (25)
Bivalvia: Cretaceous, Canada, England (58), Mississippi (15); Devonian, China (93); Eocene, Antarctica (123); Miocene, Maryland (57); Permian, South Africa (26)
Bodeiceras oxygonum: new genus and new species, Nautiloidea (39)
Bollia aequitivelata: new species, Ostracoda (113)
Bollia stewarti: new species, Ostracoda (113)
Boreionectes: junior synonym of *Maclearnia* (58)
Botryocrinidae: revised (73)
Botulobolbina paulisagena: new genus and new species, Ostracoda (108)
Brachiopoda: Devonian, Mexico (83), Peru (18), Saudi Arabia (17); Pennsylvanian, Permian (3); Recent, Australia (46)
Brazil: Marsupialia, Paleocene (72); Ostracoda, Cenozoic (94)
British Columbia: Zoantharia, Cambrian (62)
Bryozoa: classification (16); Jurassic, Wyoming, Utah (27); ontogeny (74); Ordovician (2); Paleozoic (86)
Calcivascularis jansae: new genus and new species, Coccolithophorida (118)
California: Ammonoidea, Permian (119); Crustacea, Miocene (53); Rugosa, Ordovician (32); trace fossils, Eocene (76), Miocene (105)
Callianassa symmetrica: new species, Decapoda (34)
Cambrian: Conodonta, Alaska (30); *Salterella,* Vermont (75); Tommotiida (64); Trilobita (88), Alaska (30), New York (112); Zoantharia, British Columbia (62)

Camptochiton squarrosus: new genus and new species, Polyplacophora (29)
Canada: Bivalvia, Cretaceous (58)
Captorhinomorpha: Permian, Oklahoma (85)
Carboniferous: Foraminiferida, Scotland (68)
Cenozoic: Mollusca, deep-water communities (48); Ostracoda, Brazil (94); trace fossils in chalk (31)
Ceratosuchus: revision (10)
Chalk: trace fossils, Cenozic (31), Cretaceous (21), (31)
Chasmocarcinus seymourensis: new species, Decapoda (35)
Chatangiella porata: new species, dinoflagellate (6)
Chauliochiton knighti: new genus and new species, Polyplacophora (49)
China: Bivalvia, Devonian (93); Ostracoda, Jurassic, Cretaceous (66)
Chondrichthyes: Mississippian, Arkansas (70)
Cirripedia: Oligocene, Miocene, North Carolina (124)
Clidochirus springeri: new species, Crinoidea (8)
Coccolithophorida: Jurassic, Atlantic Ocean (118)
Cockburnia: new genus, Bivalvia (123)
Colospongia monilis: new species, Porifera (97)
Columellar folds: Gastropoda (104)
Communities: Mississippian, Wales (14); molluscan, Cenozoic, deep-water (48)
Concavus belgradensis: new species, Cirripedia (124)
Concavus crassostricola: new species, Cirripedia (124)
Coniferina pandiacuminata: new species, Ostracoda (108)
Conodonta: Cambrian, Alaska (30); Devonian, Nevada (80); Ordovician, Missouri (60); Triassic, Washington (100)
Coryssochiton parallelus: new genus and new species, Polyplacophora (29)
Costalocrinus conkini: new species, Crinoidea (73)
Costalocrinus rex: new species, Crinoidea (73)
Craspedobolbina (*Odoniobolbina*) *papillata:* new species, Ostracoda (108)
Cretaceous: Bivalvia, Canada, England (58), Mississippi (15); dinoflagellates, New Jersey (6); Foraminiferida, deep-ocean (65), Texas, Oklahoma (69); hadrosaur, Montana (52); Ostracoda, China (66); Scleractinia, Peru (102); Serpulidae, Antarctica (71); trace fossils, Alberta (22), (89), in chalk (31), Europe (21), Utah (20), (56)
Crinoidea: Eocene, Louisiana (109); Mississippian, Indiana, Kentucky (55); Paleozoic (73); Silurian, Ohio (7), (8)
Crocodilia: Jurassic, Arizona (87); Tertiary, Wyoming (10)
Crustacea: Eocene, Antarctica (34), (35); Miocene, California (53); Pennsylvanian, Iowa, Nebraska (101)
Cubitosulcus typicus: new genus and new species, Ostracoda (113)
Cucullaea raea: new species, Bivalvia (123)
Cyanophyta: Precambrian, Svalbard (61), USSR (84)
Cyathocrinites astralus: new species, Crinoidea (55)
"*Cyclorismina*" *marwicki:* new species, Bivalvia (123)
Cymatiosphaeroides kullingii: new genus and new species, Cyanophyta (61)
Cypridea (*Cypridea*) *dayaoensis sichuanensis:* new subspecies, Ostracoda (66)
Cypridea (*Ulwellia*) *angularia:* new species, Ostracoda (66)
Cypridea (*Ulwellia*) *orbiculatodes:* new species, Ostracoda (66)
Cystoidea: Silurian, Ohio (9)
Cystothalamia nana: new species, Porifera (97)
Damonella antenanna: new species, Ostracoda (66)
Darwinula olivencae: new name, Ostracoda (94)
Decapoda: Cretaceous, Alberta (89); Eocene, Antarctica (34), (35)
Defordia digitata: new species, Porifera (97)
Defordia foliata: new species, Porifera (97)
Defordia verrucula: new species, Porifera (97)
Devonian: Bivalvia, China (93); Brachiopoda, Mexico (83), Peru (18), Saudi Arabia (17); Conodonta, Nevada (80); Foraminiferida (69); Ostracoda, Ohio (113); Stromatoporoidea, Iowa (107); *Stylio-lina,* New York (67)
Deyangia deyangensis: new genus and new species, Ostracoda (66)
Diastopora cutleri: new species, Bryozoa (27)
Diconodinium wilsonii: new species, dinoflagellate (6)
Digenuoceratidae: new family, Nautiloidea (39)
Dinoflagellates: Cretaceous, New Jersey (6)

Dzieduszyckia sonora: new species, Brachiopoda (83)
Echinoidea: Pennsylvanian, Ohio (50)
Enewetak Atoll: Porifera, Recent (11)
England: Bivalvia, Cretaceous (58)
Entalophora stokesi: new species, Bryozoa (27)
Eoaphanocapsa oparinii: new genus and new species, Cyanophyta (84)
Eobrasilia coutoi: lower jaw (72)
Eocene: Bivalvia, Antarctica (123); Crinoidea, Louisiana (109); Decapoda, Antarctica (34), (35); Marsupialia, Antarctica (121); Primates, Wyoming (98); pseudoborings, Wyoming (37); trace fossils, California (76), South Dakota (96)
Eocopea oculata: new genus and new species, Crustacea (53)
Epibiota: Mississippian, Utah (99); on *Lingula* (46)
Euomphalidae: wall structure (12)
Eurhomalia carlosi: new species, Bivalvia (123)
Eurhomalia florentinoi: new species, Bivalvia (123)
Eurhomalia inflata: new species, Bivalvia (123)
Europe: trace fossils, preservation (21)
Eurypterida: Pennsylvanian, Iowa, Nebraska (101)
Extinction: (88)
Fistulobalanus: new genus, Cirripedia (124)
Fistulobalanus klemmi: new species, Cirripedia (124)
Foraminiferida: Carboniferous, Scotland (68); Cretaceous, deep-ocean (65), Texas, Oklahoma (69); Devonian, USA (69); Holocene, Atlantic Ocean (69), Louisiana (69), Pacific Ocean (69); microbial endoliths (44); Neogene, Indian Ocean (13); Paleogene, deep-ocean (65); Pennsylvanian (45), (59), (69)
Fourier shape analysis: (13)
Fusulinacea: Pennsylvanian (59)
Gaimardia flemingi: new species, Bivalvia (123)
Garniella triseriata: new species, Ostracoda (108)
Gastropoda: classification (122); columellar folds (104); Miocene, Maryland (57); Paleozoic, wall structure (12); Tertiary, Pacific Northwest (79)
Glaphyrammina: new species, Foraminiferida (69)
Gloeodiniopsis magna: new species, Cyanophyta (84)
Gomphina iheringi: new species, Bivalvia (123)
Graptoloidea: Ordovician, Alaska (23)
Great Basin: trace fossils, Ordovician (103)
Greenland: trace fossils, Jurassic (47)
Grewingkia callahanensis: new species, Rugosa (32)
Guadalupia minuta: new species, Porifera (97)
Gyrgathella depressa: new species, Ostracoda (108)
Gyrgathella disrupta: new species, Ostracoda (108)
Hadrosaur: Cretaceous, Montana (52)
Heliolites laviellensis: new species, Tabulata (82)
Helminthochiton girtyi: new species, Polyplacophora (49)
Hemigordius harltoni: biostratigraphic significance (45)
Hibbardia nodosa: new species, Ostracoda (113)
Himerometra caldwellensis: new species, Crinoidea (109)
Himerometra louisianensis: new species, Crinoidea (109)
Holocene: Brachiopoda, Australia (46), Foraminiferida, Atlantic Ocean (69); Louisiana (69), Pacific Ocean (69); Porifera, Enewetak Atoll (11)
Hyrsinobolbina? nevadensis: new species, Ostracoda (108)
Ichthycanthus platypus: reidentified (51)
Icriodus claudiae: lineage analyzed (80)
Icriodus steinachensis: lineage analyzed (80)
Indiana: Crinoidea, Mississippian (55); trace fossils, Mississippian (4), Pennsylvanian (5)
Indian Ocean: Foraminiferida, Neogene (13)
Iowa: Crustacea, Eurypterida, Pennsylvanian (101); Stromatoporoidea, Devonian (107)
Jereina robusta: new species, Porifera (97)
Jingguella (Jingguella) acutura: new species, Ostracoda (66)
Jurassic: Bryozoa, Wyoming, Utah (27); Coccolithophorida, Atlantic Ocean (118); Mammalia, Wales (33); Ostracoda, China (66); trace fossils, Arizona (87), Greenland (47)
Kechenotiske: new genus, Foraminiferida (69)

Kentucky: Crinoidea, Mississippian (55)
Lahillia wilckensi: new species, Bivalvia (123)
Laminae preservation: (25)
Lapworthella ludvigseni: new species, Tommotiida (64)
Lecocrinus? springeri: new species, Crinoidea (55)
Lekiskochiton fornicis: new genus and new species, Polyplacophora (49)
Lepidasterella montanensis: new species, Asteroidea (116)
Leuroplectoceras: new genus, Nautiloidea (39)
Libumella subovata: new species, Ostracoda (108)
Libumella supramarginata: new species, Ostracoda (108)
Lingula: Holocene, epibiota (46)
Lophobalanus: new genus, Cirripedia (124)
Lophobalanus baumi: new species, Cirripedia (124)
Louisiana: Crinoidea, Eocene (109); Foraminiferida, Holocene (69)
Lyreidus antarcticus: new species, Decapoda (35)
Maclearnia: senior synonym of *Boreionectes* (58)
Mammalia: Triassic, Jurassic, Wales (33)
Marattiales: Pennsylvanian, Ohio (110)
Marginisulcus vadosus: new genus and new species, Ostracoda (113)
Marsupialia: Eocene, Antarctica (121); Miocene, Australia (24), (120); Paleocene, Brazil (72); systematics (38)
Maryland: Mollusca, Miocene (57)
Mexico: Brachiopoda, Devonian (83)
Microbial endoliths: in Foraminifera (44)
Microbiota: Precambrian, Svalbard (61), USSR (84)
Microborings: Ordovician, eastern Canada, Norway (92)
Millerella sandersoni: new name, Foraminiferida (59)
Miocene: Cirripedia, North Carolina (124); Crustacea, California (53); Marsupialia, Australia (24), (120); Mollusca, Maryland (57); trace fossils, California (105)
Mississippi: Bivalvia, Cretaceous (15)
Mississippian: Asteroidea, Montana (116); Chondrichthyes, Arkansas (70); communities, Wales (14); Crinoidea, Indiana, Kentucky (55); epibiota, Utah (99); Rugosa, Utah (99); trace fossils, Indiana (4)
Missouri: Conodonta, Ordovician (60)
Modiolus thomsoni: new species, Bivalvia (123)
Modiolus turneri: new species, Bivalvia (123)
Mollusca: Cenozoic deep-water communities (48)
Montana: Asteroidea, Mississippian (116); hadrosaur, Cretaceous (52)
Morganucodon: absence of epipubic bones (33)
Multivariate analysis: Mollusca, Miocene (57)
Mya (*Arenomya*) *sowerbyi:* new species, Bivalvia (123)
Nautiloidea: Ordovician (39)
Nebraska: Crustacea, Eurypterida, Pennsylvanian (101); Rodentia, Neogene (115)
Neogene: Foraminiferida, Indian Ocean (13); Rodentia, Nebraska (115)
Neospirifer: review (3)
Nevada: Conodonta, Devonian (80); Ostracoda, Silurian (108)
Nevadabolbina confluens: new genus and new species, Ostracoda (108)
New Brunswick: Tabulata, Silurian (82)
Newfoundland: trace fossils, Ordovician (36), (90)
New Jersey: dinoflagellates, Cretaceous (6)
New York: *Styliolina,* Devonian (67); Trilobita, Cambrian (112)
North Carolina: Cirripedia, Oligocene, Miocene (124)
Norway: microborings, Ordovician (92)
Nucula (*Leionucula*) *palmeri:* new species, Bivalvia (123)
Ochmazochiton comptus: new genus and new species, Polyplacophora (49)
Ochmazochitonidae: new family, Polyplacophora (49)
Ohio: Amphibia, Pennsylvanian (51); Crinoidea, Silurian (7), (8); Cystoidea, Silurian (9); Echinoidea, Pennsylvanian (50); Marattiales, Pennsylvanian (110); Ostracoda, Devonian (113)
Oklahoma: Foraminiferida, Cretaceous (69); Reptilia, Permian (85)
Oligocene: Cirripedia, North Carolina (124)
Ontogeny: Bryozoa (74)
Ordovician: Bryozoa (2); Conodonta, Missouri (60); Graptoloidea, Alaska (23); microborings, eastern

Canada, Norway (92); Nautiloidea (39); Rugosa, California (32); trace fossils, Great Basin (103), Newfoundland (36), (90), Quebec (91)
Orthogonoides hamiltoniae: new genus and new species, Coccolithophorida (118)
Ostracoda: Cenozoic, Brazil (94); Devonian, Ohio (113); Jurassic, Cretaceous, China (66); Silurian, Nevada (108); Tertiary, Barbados (106)
Ostrea antarctica: new species, Bivalvia (123)
Ostrea seymourensis: new species, Bivalvia (123)
Oxyperas (*Pseudoxyperas*) *ortmanni:* new species, Bivalvia (123)
Pacific Northwest: Gastropoda, Tertiary (79)
Pacific Ocean: Foraminiferida, Holocene (69)
Paleocene: Marsupialia, Brazil (72); Primates, Alberta (40)
Paleogene: Foraminiferida, deep-ocean (65)
Paleozoic: Gastropoda, classification (122)
Panopea philippii: new species, Bivalvia (123)
Paranoviportia reticulata: new genus and new species, Ostracoda (108)
Paraplectoceras: new genus, Nautiloidea (39)
Paraplectoceras balashovi: new species, Nautiloidea (39)
Pecopterids: Pennsylvanian, Alabama (43)
Pecopteris buttsii: restudied (43)
Pedanochiton discomptus: new genus and new species, Polyplacophora (29)
Pedicellariae: Echinoidea, Pennsylvanian (50)
Pennsylvanian: Amphibia, Ohio (51); Brachiopoda (3); Crustacea, Iowa, Nebraska (101); Echinoidea, Ohio (50); Eurypterida, Iowa, Nebraska (101); Foraminiferida (45), (59), (69); Fusulinacea (59); Marattiales, Ohio (110); Pecopterids, Alabama (43); *Phosphannulus,* Texas (117); Polyplacophora, Texas (29); trace fossils, Indiana (5), Tennessee (77)
Periploma topei: new species, Bivalvia (123)
Permian: Ammonoidea (111), California (119); Bivalvia, South Africa (26); Brachiopoda (3); Polyplacophora, Texas (49); Porifera, Venezuela (97); Reptilia, Oklahoma (85)
Perrinitidae: revised (111)
Peru: Brachiopoda, Devonian (18); Scleractinia, Cretaceous (102)
Phosphannulus: Pennsylvanian, Texas (117)
Phosphatic microfossils: recovery techniques (114)
Phylloporinidae: ontogeny (74)
Phylogeny: stratigraphic and morphologic data (65)
Pileochiton cancellus: new genus and new species, Polyplacophora (29)
Pinna sobrali: new species, Bivalvia (123)
Pinnocypridea regularis: new species, Ostracoda (66)
Platyceratidae: wall structure (12)
Pleistocene: trace fossils, Bahamas (28)
Polyplacophora: Pennsylvanian, Texas (29); Permian, Texas (49)
Porifera: Ordovician, eastern Canada, Norway (92); Permian, Venezuela (97); Recent, Enewetak Atoll (11)
Precambrian: Cyanophyta, Svalbard (61), USSR (84)
Preservation: trace fossils in carbonates (4); trace fossils in European chalk (21)
Primates: Eocene, Wyoming (98); Paleocene, Alberta (40)
Problematica: Cambrian (64)
Pseudoborings: Eocene, Wyoming (37)
Psilonichnus upsilon: new species, trace fossil (41)
Purtia mosaicus: new genus and new species, Marsupialia (24)
Qingjiania alta: new species, Ostracoda (66)
Qingjiania longa: new genus and new species, Ostracoda (66)
Quantitative methods: (2); Bryozoa (86); Mollusca (57)
Quebec: microborings, Ordovician (92); trace fossils, Ordovician (91)
Ramivaginalis uralensis: new genus and new species, Cyanophyta (84)
Reptilia: Permian, Oklahoma (85)
Resigella: new genus, Foraminiferida (69)
Rimabollia bella: new genus and new species, Ostracoda (113)
Rodentia: Neogene, Nebraska (115)
Rosellatana jamesi: new genus and new species, Zoantharia (62)
Rotularia (*Austrorotularia*): new subgenus, Serpulidae (71)
Rotularia (*Austrorotularia*) *tenuilaevis:* new species, Serpulidae (71)
Rotularia (*Austrorotularia*) *zinsmeisteri:* new species, Serpulidae (71)

Rugosa: Mississippian, Utah (99); Ordovician, California (32)
Salterella conulata: Cambrian, Vermont (75)
Sansabaina: new genus, Foraminiferida (69)
Saudi Arabia, Brachiopoda, Devonian (17)
Scaphiocoelia: new occurrence (18)
Scherochorella: new genus, Foraminiferida (69)
Scleractinia: Cretaceous, Peru (102)
Scolecopteris shadensis: new species, Marattiales (110)
Scotland: Foraminiferida, Carboniferous (68)
Sculptobaculites: new genus, Foraminiferida (69)
Serpulidae: Cretaceous, Antarctica (71)
Shell structure: Bivalvia, Cretaceous (15)
Silurian: Asteroidea, Tasmania (54); Crinoidea, Ohio (7), (8); Cystoidea, Ohio (9); Ostracoda, Nevada (108); Tabulata, New Brunswick (82); trace fossils, Arctic Canada (81)
Simicypris obesa: new genus and new species, Ostracoda (66)
Simobaculites: new genus, Foraminiferida (69)
Sinodora bisulcata: new species, Bivalvia (93)
Sinodora concava: new genus and new species, Bivalvia (93)
Sinodora semiglabra: new species, Bivalvia (93)
Sinodoridae: new family, Bivalvia (93)
Siphonophycus capitaneum: new species, Cyanophyta (84)
Soleachiton yochelsoni: new genus and new species, Polyplacophora (49)
Solemya peteri: new species, Bivalvia (123)
South Africa: Bivalvia, Permian (26)
South Dakota: trace fossils, Eocene (96)
Spinidinium mariae: new species, dinoflagellates (6)
Stegochiton coxi: new genus and new species, Polyplacophora (49)
Stegochiton? onerosus: new species, Polyplacophora (49)
Stenolaemata: classification (16)
Stereology: (2)
Stibarocrinus: new genus, Crinoidea (7)
Stictobollia paucifoveata: new species, Ostracoda (113)
Streptelasma etnaense: new species, Rugosa (32)
Stromatoporoidea: Devonian, Iowa (107)
Stylina columbaris: new species, Scleractinia (102)
Styliolina: Devonian, New York (67)
Svalbard: Cyanophyta, Precambrian (61)
Tabulata: Silurian, New Brusnwick (82)
Tasmania: Asteroidea, Silurian (54)
Techniques: phosphatic microfossil recovery (114)
Tennessee: trace fossils, Pennsylvanian (77)
Tertiary: Crocodilia, Wyoming (10); Gastropoda, Pacific Northwest (79); Ostracoda, Barbados (106); trace fossils, Utah (20)
Texas: Foraminiferida, Cretaceous (69); Polyplacophora, Pennsylvanian (29), Permian (49); *Phosphannulus,* Pennsylvanian (117)
Tommotiida: Cambrian (64)
Trace fossils: (41); Cenozoic, in chalk (31); Cretaceous, Alberta (22), (89), in chalk (31), Europe (21), Utah (20), (56); Eocene, California (76), South Dakota (96); Jurassic, Arizona (87), Greenland (47); Miocene, California (105); Mississippian, Indiana (4); Ordovician, Great Basin (103), Newfoundland (36), (90), Quebec (91); Paleozoic, in nonmarine and marine-margin sequences (77); Pennsylvanian, Indiana (5), Tennessee (77); Pleistocene, Bahamas (28); significance of *Scoyenia* and *Ancorichnus* (42); Silurian, Arctic Canada (81); Triassic, Wyoming (19)
Trachyhystrichosphaera vidalii: new species, Cyanophyta (61)
Triassic: Conodonta, Washington (100); Mammalia, Wales (33); trace fossils, Wyoming (19)
Tricornina (Tricornina) prorata: new species, Ostracoda (108)
Trilobita: Cambrian (88), Alaska (30), New York (112)
Trypherocrinus brassfieldensis: new genus and new species, Crinoidea (7)
Ulrichia (Subulrichia) concinna: new species, Ostracoda (113)
USSR: Cyanophyta, Precambrian (84)
Utah: Bryozoa, Jurassic (27); epibiota, Mississippian (99); Rugosa, Mississippian (99); trace fossils, Cretaceous (20), (56), Tertiary (20)
Venezuela: Porifera, Permian (97)

Vermont: *Salterella conulata,* Cambrian (75)
Vissariotaxis: nomenclature (68)
Wakiewakie lawsoni: new genus and new species, Marsupialia (120)
Wales: communities, Mississippian (14); Mammalia, Triassic, Jurassic (33)
Warrenita: new genus, Foraminiferida (69)
Washington: Conodonta, Triassic (100)
Wyoming: Bryozoa, Jurassic (27); Crocodilia, Tertiary (10); Primates (98); pseudoborings, Eocene (37); trace fossils, Triassic (19)
Yukonibolbina plicata: new species, Ostracoda (108)
Zagorala lacinia: new species, Ostracoda (108)
Zoantharia: Cambrian, British Columbia (62)

Volume 58 of THE JOURNAL OF PALEONTOLOGY was mailed on the following dates:

No. 1—February 15, 1984
No. 2—April 30, 1984
No. 3—May 4, 1984
No. 4—July 25, 1984
No. 5—September 7, 1984
No. 6—December 7, 1984